

**Certificate No.:** SGS/240835/3

# CERTIFICATE OF SUITABILITY

## Modification Addendum

This certificate is issued as a modification addendum to Certificate No.: SGS/240835 by **SGS Australia Pty Ltd** in accordance with the SGS Electrical Type Testing Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and recognised by the Queensland Government Recognised External Certification Scheme (RECS). SGS certifies the electrical equipment described hereunder complies with the standard/s listed herein. It is a requirement that the electrical equipment supplied under this certificate shall be identical to the electrical equipment as certified. The electrical equipment may be marked with the regulatory compliance mark (RCM) in accordance with its conditions of use as set out in AS/NZS 4417.1 and the authorised marking as specified herein.

**CERTIFICATE HOLDER**

**Company Name:** Victron Energy B.V.  
**Address:** De Paal 35, 1351JG, Almere, Netherlands

**CERTIFICATION DETAILS**

**Certification Standards:** IEC 62109-2:2011 and IEC 62109-1:2010 and AS IEC 62477.1:2024 and AS/NZS 4777.2:2020 + A1 + A2  
**Comments/Conditions:** Nil  
**Authorised Marking:** SGS-240835-E  
**Certificate Issue Date:** 25 October 2024  
**Certificate Expiry Date:** 24 October 2029

**MODIFICATION**

**Modification Details:** Change of rating plate, addition of new standards sections and repeated test to some clauses as detailed in SGS Test Report No. 2222 / 0478 – F-E2 dated 11 June 2025  
**Modification Date:** 19 June 2025

**ELECTRICAL EQUIPMENT**

**Regulatory Definition:** Nil  
**Description:** Independent supply converter

Trade Name	Model Number	Ratings
VICTRON	MultiPlus-II 48/10000/140-100 230V	DC IN 38-66/48 V; 235 A; DC OUT 48 V; 140 A; AC IN 230 V; 100 A; 8 kVA/7.3 kW AC OUT 230 V; 36 A; 10 kVA/8 kW Class I; IP21




**For and On Behalf of**  
**SGS Australia Pty Ltd**



**Certificate No.:** SGS/240835/3

VICTRON	MultiPlus-II 48/8000/110-100 230V	DC IN 38-66/48 V; 188 A; DC OUT 48 V; 110 A; AC IN 230 V; 100 A; 6.4 kVA/6.2 kW; 50/60 Hz AC OUT 230 V; 29 A; 8 kVA/6.4 kW; 50/60 Hz Class I; IP21
VICTRON	MultiPlus-II 48/15000/200-100 230V	DC IN 38-66/48 V; 350 A; DC OUT 48 V; 200 A; AC IN 230 V; 100 A; 12 kVA/11 kW; 50/60 Hz AC OUT 230 V; 54 A; 15 kVA/12 kW; 50/60 Hz Class I; IP21




**For and On Behalf of**  
**SGS Australia Pty Ltd**

Page 2 of 2

This document is issued by the Company under its General Conditions of Service accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



[www.jas-anz.org/register](http://www.jas-anz.org/register)

**SGS Australia Pty Ltd**  
10/585 Blackburn Road, Notting Hill, 3168, Australia  
[www.sgs.com.au](http://www.sgs.com.au)  
Member of the SGS Group (SGS SA)