



FRONIUS OHMPILOT

Optimising self-consumption through the intelligent, continuously adjustable regulation of heat sources



The Fronius Ohmpilot is a consumption regulator that uses excess solar power to heat water. Thanks to its continuously adjustable regulation from 0 to 9 kW, the excess solar power can be used efficiently and fed to a heat source in the household.

The Fronius Ohmpilot is primarily used to intelligently control heating elements for providing hot water in boilers and buffer storage tanks, but can also be used for infrared heating or towel radiators. Solar power can thus provide a family home with average levels of water consumption with most of their hot water from April to October. The result is maximum self-consumption, a reduction in the household's CO₂ emissions and less wear on the building's main heating system during the summer months.

FRONIUS OHMPILOT TECHNICAL DATA

INPUT DATA	OHMPILOT
Frequency	50 Hz
Max. input current (I _{ac max}) ¹⁾	16 A / 3*16 A
Input voltage ¹⁾	230 V / 3*230 V

OUTPUT DATA	OHMPILOT
Max. output power ¹⁾	3 kW / 9 kW (each continuously adjustable)
Frequency	50 Hz
AC output current (I _{ac nom}) ¹⁾	13 A / 3*13 A
Output voltage ¹⁾	230 V / 3*230 V
THDi	< 3 %

GENERAL DATA	OHMPILOT
Type of power regulation	Pulse width modulation
Dimensions (height x width x depth)	350 x 280 x 110 mm
Weight	3.9 kg
Protection class	IP54
Installation	Wall mounting
Ambient temperature range	0 - 40 °C
Permitted humidity	0 - 99 %, non-condensing
Certificates and compliance with standards	CE, EN 61000-6-2, EN 61000-6-3, EN 61000-3-2, EN 61000-3-3, EN 300 328


¹⁾ single phase / three-phase with neutral conductor

THE ADVANTAGES AT A GLANCE

- / Continuously adjustable regulation from 0 to 9 kW
- / Up to 100% increase in self-consumption rate
- / Extends service life of the primary heat source
- / Hot water supply with solar power over 8 months a year largely possible

- / Easy installation
- / Compatible with other heat sources, such as heat pumps
- / Protection against legionella
- / Dynamic power reduction enables zero feed-in

CONFIGURATION DIAGRAM



Installing the Fronius Ohmpilot could not be easier thanks to straightforward commissioning via the dedicated website as well as a simple communication connection via WLAN. The Fronius Ohmpilot also protects the grid by cleanly and reliably activating the consumers, leaving you as the installer fully equipped for the demands of today and tomorrow. When using 3-phase heating rods, ensure that the neutral conductor is connected to the input voltage and the heating rod. With a 18-kW heating element*, water can be heated using excess solar power even in the commercial sector.

The Fronius Ohmpilot is compatible with all Fronius inverters. A Fronius Datamanager 2.0 and a Fronius Smart Meter are required to use the device. The Fronius Datamanager is integrated as standard in Fronius Symo, Fronius Symo Hybrid, Fronius Primo, Fronius Galvo and Fronius Eco inverters. The Fronius Datamanager and the Fronius Smart Meter can be retrofitted in existing inverters at any time. It is also advisable to use a PT1000 temperature sensor. This is the only way that users can further optimise consumption behaviour by setting the minimum and target temperatures for the hot water and the temperature can be displayed in Solar.web.

*ASKOMA heating element „ASKOHEAT 18 kW

/ Perfect Welding / Solar Energy / Perfect Charging

THREE BUSINESS UNITS, ONE GOAL: TO SET THE STANDARD THROUGH TECHNOLOGICAL ADVANCEMENT.

What began in 1945 as a one-man operation now sets technological standards in the fields of welding technology, photovoltaics and battery charging. Today, the company has around 4,760 employees worldwide and 1,253 patents for product development show the innovative spirit within the company. Sustainable development means for us to implement environmentally relevant and social aspects equally with economic factors. Our goal has remained constant throughout: to be the innovation leader.

Further information about all Fronius products and our global sales partners and representatives can be found at www.fronius.com

Fronius India Private Limited
 GAT no 312, Nanekarwadi
 Chakan, Taluka - Khed District
 Pune 410501
 India
pv-sales-india@fronius.com
www.fronius.in

Fronius Australia Pty Ltd.
 90-92 Lambeck Drive
 Tullamarine VIC 3043
 Australia
pv-sales-australia@fronius.com
www.fronius.com.au

Fronius UK Limited
 Maidstone Road, Kingston
 Milton Keynes, MK10 0BD
 United Kingdom
pv-sales-uk@fronius.com
www.fronius.co.uk

Fronius International GmbH
 Froniusplatz 1
 4600 Wels
 Austria
pv-sales@fronius.com
www.fronius.com